

TROJAN CHEMICALS 1875 DREW ROAD MISSISSAUGA, ONTARIO L5S 1J5 TEL# (905) 456-9444

EMERGENCY # CANUTEC (613) 996-6666 "USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION: B3

MATERIAL REFERENCE NO: 639900											
SECTION I - MATERIAL IDENTIFICATION AND USE											
MATERIAL NAME/I.D.: TRL-399 SILICONIZED SNOW PLOW COATING											
CHEMICAL NAME: NOT	AVAILABLE	CHEMICAL FAMILY: LUBRICANTS									
CHEMICAL FORMULA: M	IXTURE	MOLECULAR WEIGHT: NOT APPLICABLE									
SYNONYMS: NONE											
MATERIAL USE: SNOW & ICE RELEASE AGENT											
SECTION II - HAZARDOUS INGREDIENTS OF MATERIAL											
HAZARDOUS   INGREDIENTS	APPROX.	TWA PPM	C.A.S. NUMBERS	LD 50     ORAL, RAT							
MINERAL SPIRITS         	60.0-100.0       	175       	68551-17-7	3460 MG/KG							
SECTION III - PHYSICAL DATA FOR MATERIAL											
ODOUR AND APPEARANCE: COLOURLESS LIQUID, PETROLEUM ODOUR.											
ODOUR THRESHOLD (PPI	M)   SPEC	SPECIFIC GRAVITY		VAPOUR PRESSURE (MM)							
VAPOUR DENSITY (AIR:	=1)	ATION RATE =1) >1		SOLUBILITY IN WATER    (20 ø C) INSOLUBLE							
BOILING POINT (C	)	ING POINT (0 <1	!	% VOLATILE (BY WEIGHT)    >95							
pH   NOT APPLICABLE		ITY (G/ML) Γ APPLICABLE	:	COEF.OF WATER/OIL DISTR    NOT AVAILABLE							



MATERIAL REFERENCE NO: 639900

						_	
SECTION IV	<i>7</i> –	FIRE	AND	EXPLOSION	HAZARD	OF	MATERIAL
	-						

.\_\_\_\_\_ |FLAMMABILITY: COMBUSTIBLE IF YES, UNDER WHICH CONDITIONS: CONTACT WITH DIRECT IGINITION SOURCE MEANS OF EXTINCTION: CO2, DRY CHEMICAL, ALCOHOL FOAM, WATER FOG. -----SPECIAL PROCEDURES: WEAR FULL PROTECTIVE EQUIPMENT, INCLUDING SELF-CONTAINED BREATHING APPARATUS FOR ALL CHEMICAL FIRES. \_\_\_\_\_\_ | FLASH POINT (C) AND METHOD: MINIMUM 43 (C) (TCC) | HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE, UNIDENTIFIED ORGANIC COMPOUNDS, BLACK SMOKE. \_\_\_\_\_\_ UPPER EXPLOSION LIMIT | LOWER EXPLOSION LIMIT | AUTOIGNITION TEMP(C)| NOT AVAILABLE NOT AVAILABLE NOT AVAILABLE |EXPLOSION DATA SENSITIVITY| RATE OF BURNING | EXPLOSIVE POWER TO CHEMICAL IMPACT NOT AVAILABLE NOT AVAILABLE NOT AVAILABLE \_\_\_\_\_\_ | SENSITIVITY TO STATIC DISCHARGE: NOT AVAILABLE SECTION V - REACTIVITY DATA CHEMICAL STABILITY: STABLE IF NO, UNDER WHICH CONDITIONS: INCOMPATIBILITY TO OTHER SUBSTANCES: YES IF SO, WHICH ONES: STRONG OXIDIZERS. -----REACTIVITY AND UNDER WHAT CONDITIONS: NOT ESTABLISHED HAZARDOUS POLYMERIZATION WILL NOT OCCUR. -----HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON, TOXIC | FUMES/VAPOURS, SMOKE. SECTION VI - HEALTH HAZARD DATA ROUTE OF ENTRY: SKIN CONTACT: YES SKIN ABSORPTION: YES EYE CONTACT: YES INHALATION: YES INGESTION: YES



MATERIAL REFERENCE NO: 639900

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES-MAY CAUSE SLIGHT IRRITATION.

SKIN-CONTACT MAY CAUSE DRYING, CRACKING WITH IRRITATION. INHALATION-EXCESSIVE INHALATION OF HIGH CONCENTRATIONS OF VAPOURS MAY CAUSE IRRITATION OF RESPIRATORY TRACT, HEADACHES, DIZZINESS, ANETHESIA, DROWZINESS AND OTHER CENTRAL NERVOUS SYSTEM EFFECTS. INGESTION-MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING. ASPIRATION OF SMALL AMOUNTS INTO LUNGS MAY CAUSE MILD TO SEVERE PULMONARY INJURY.

\_\_\_\_\_\_

\_\_\_\_\_

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL:

SKIN-PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN RASH (DERMATITIS).

.\_\_\_\_\_ LD 50 OF MATL. LC 50 OF MATL. EXPOSURE LIMIT(S) IRRITANCY OF MATL NOT AVAILABLE | NOT AVAILABLE | MODERATE

SYNERGISTIC MATERIALS SENSITIZATION OF MATERIAL NOT AVAILABLE NOT AVAILABLE

.\_\_\_\_\_

CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY NONE KNOWN.

SECTION VII - PREVENTIVE MEASURES

\_\_\_\_\_\_

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: APPROPRIATE CHEMICAL RESISTANT.

RESPIRATORY: NOT NORMALLY REQUIRED. FOR PROLONGED EXPOSURES OR IF

TLV IS EXCEEDED, USE NIOSH APPROVED RESPIRATOR.

EYE: SAFETY SHIELD OR GOGGLES IF EYE CONTACT IS LIKELY.

FOOTWEAR: NO SPECIAL REQUIREMENTS. CLOTHING: NO SPECIAL REQUIREMENTS. OTHER: EYE WASH, SAFETY SHOWER.

\_\_\_\_\_\_

ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): MECHANICAL VENTILATION IN CONFINED AREAS OR WHEN TLV IS EXCEEDED. \_\_\_\_\_\_

LEAK AND SPILL PROCEDURE: WEAR RECOMMEDED PROTECTIVE EQUIPMENT. REMOVE SOURCES OF IGNITION. CONTAIN SPILL. PROVIDE ADEQUATE VENTILATION. TRANSFER SPILLED MATERIAL INTO A METAL CONTAINER FOR REUSE OR DISPOSAL. ABSORB REMAINING MATERIAL ONTO VERMICULITE OR SAWDUST AND PLACE IN METAL CONTAINER FOR DISPOSAL.

WASTE DISPOSAL: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.



MATERIAL REFERENCE NO: 639900

SECTION VIII - FIRST AID MEASURES

\_\_\_\_\_\_ PROCEDURES: EYES- FLUSH WITH RUNNING WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN-REMOVE CONTAMINATED CLOTHING. FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION-REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF NOT BREATHING ADMINISTER ARTIFICIAL RESPIRATION AND GET IMMEDIATE MEDICAL ATTENTION. INGESTION-IF SWALLOWED DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION. |SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS. \_\_\_\_\_\_ ADDITIONAL INFORMATION: NONE SECTION IX - TDG SHIPPING INFORMATION | CLASS | UN NO. | PACKING GROUP | SHIPPING NAME FLAMMABLE LIQUID N.O.S. 3 (PETROLEUM DISTILLATES) 1993 NOT REGULATED BY ROAD OR RAIL IN CONTAINERS OF LESS THAN 450 L. \_\_\_\_\_\_ HANDLING PROCEDURES AND EQUIPMENT: AVOID CONTACT WITH SKIN AND EYES. WASH THOROUGHLY AFTER HANDLING. \_\_\_\_\_ STORAGE REQUIREMENTS: STORE IN A COOL, DRY, WELL-VENTILATED AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE. SPECIAL SHIPPING INFORMATION: NONE SECTION X - HMIS HAZARD RATING INFORMATION REACTIVITY HEALTH FLAMMABILITY 0 \_\_\_\_\_\_ SECTION XI - PREPARATION DATE OF MSDS \_\_\_\_\_\_ PREPARED BY: TECHNICAL DEPARTMENT TELEPHONE # (905) 456-9444 REVIEWED: OCTOBER 11, 2012 \_\_\_\_\_\_ DISCLAIMER:

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILTY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.