



MATERIAL SAFETY DATA SHEET

TROJAN CHEMICALS
4 BLAIR DRIVE
BRAMPTON, ONTARIO
L6T 2H5
TEL# (905) 456-9444

EMERGENCY # CANUTEC (613) 996-6666
"USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION: A, D2B

MATERIAL REFERENCE NO: 652621

SECTION I - MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/I.D.: TRB 526 (AEROSOL)	
CHEMICAL NAME: MIXTURE	CHEMICAL FAMILY: PRESSURIZED BLEND
CHEMICAL FORMULA: NOT AVAILABLE MOLECULAR WEIGHT: NOT AVAILABLE	
SYNONYMS: NONE	
MATERIAL USE: COMPUTER SCREEN CARE	

SECTION II - HAZARDOUS INGREDIENTS OF MATERIAL

HAZARDOUS INGREDIENTS	APPROX. % CONCENT.	TLV PPM	C.A.S. NUMBERS	LD 50 ORAL, RAT
ISOPROPYL ALCOHOL	5.0-10.0	400	67-63-0	5045 MG/KG
LIQUIFIED PETROLEUM	5.0-10.0	1000	68476-85-7	NOT AVAILABLE
GAS				

SECTION III - PHYSICAL DATA FOR MATERIAL

PHYSICAL STATE: AEROSOL		
ODOUR AND APPEARANCE: WHITE LIQUID; ALCOHOL ODOUR.		
ODOUR THRESHOLD (PPM)	SPECIFIC GRAVITY	VAPOUR PRESSURE (MM)
NOT AVAILABLE	(CONCENTRATE) 1.005	56 PSIG AT 20 (C)
VAPOUR DENSITY (AIR=1)	EVAPORATION RATE	SOLUBILITY IN WATER
>1	NOT AVAILABLE	(25°C) COMPLETE
BOILING POINT (C)	FREEZING POINT (C)	% VOLATILE (BY WEIGHT)
100	NOT AVAILABLE	100
pH (100% SOLUTION)	DENSITY (G/ML)	COEF.OF WATER/OIL DISTR
11.0	NOT APPLICABLE	NOT AVAILABLE



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 652621

SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL

FLAMMABILITY: NONE TO BOILING			
IF YES, UNDER WHICH CONDITIONS:			
MEANS OF EXTINCTION: FOAM, DRY CHEMICAL, CO2.			
SPECIAL PROCEDURES: WEAR FULL PROTECTIVE GEAR INCLUDING SELF			
CONTAINED BREATHING APPARATUS. USE SHIELDING TO PROTECT FROM			
VENTING, BURSTING OR RUPTURING CONTAINERS. USE WATER FOG TO COOL			
FIRE EXPOSED CONTAINERS.			
FLASH POINT (C) AND METHOD: CONCENTRATE NON FLAMMABLE			
FLAME EXTENSION NONE FLAMMABLE			
HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE.			
UPPER EXPLOSION LIMIT	LOWER EXPLOSION LIMIT	AUTOIGNITION TEMP (C)	
NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	
EXPLOSION DATA SENSITIVITY RATE OF BURNING			
TO CHEMICAL IMPACT			
NOT AVAILABLE			
EXPLOSIVE POWER			
PRESSURIZED CONTAINER			
KEEP TEMP. BELOW 49C			
SENSITIVITY TO STATIC DISCHARGE: NOT AVAILABLE			

SECTION V - REACTIVITY DATA

CHEMICAL STABILITY: STABLE			
IF NO, UNDER WHICH CONDITIONS:			
INCOMPATIBILITY TO OTHER SUBSTANCES: YES			
IF SO, WHICH ONES: STRONG OXIDIZING AGENTS.			
REACTIVITY AND UNDER WHAT CONDITIONS: NOT KNOWN			
HAZARDOUS POLYMERIZATION WILL NOT OCCUR.			
HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION WILL GIVE			
CARBON DIOXIDE, CARBON MONOXIDE.			

SECTION VI - HEALTH HAZARD DATA

ROUTE OF ENTRY:			
SKIN CONTACT: YES			
SKIN ABSORPTION: YES			
EYE CONTACT: YES			
INHALATION: YES			
INGESTION: YES			



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 652621

|EFFECTS OF ACUTE EXPOSURE TO MATERIAL: |
|EYES-CONTACT MAY CAUSE IRRITATION OF EYES. |
|SKIN-CONTACT MAY CAUSE IRRITATION. |
|INHALATION-MAY CAUSE IRRITATION OF NASAL AND RESPIRATORY TRACT. |
|INGESTION-CAN GAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, |
| AND DIARRHEA. |
| |
| |

|EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: |
|INHALATION-EXCESSIVE INHALATION MAY CAUSE IRRITATION TO THE UPPER |
|RESPIRATORY TRACT, DIZZINESS, NAUSEA, AND OTHER CENTRAL NERVOUS |
|SYSTEM EFFECTS. |
| |
| |

LD 50 OF MATL.	LC 50 OF MATL.	EXPOSURE LIMIT(S)	IRRITANCY OF MATL
NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	LOW

|SENSITIZATION OF MATERIAL | SYNERGISTIC MATERIALS |
| NONE KNOWN | NONE KNOWN |

|CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY: |
|NONE KNOWN. |
| |
| |
| |

SECTION VII - PREVENTIVE MEASURES

|PERSONAL PROTECTIVE EQUIPMENT: |

| GLOVES: RUBBER OR VITON IF REQUIRED |
|RESPIRATORY: NOT NORMALLY REQUIRED. |
| EYE: CHEMICAL GOGGLES |
| FOOTWEAR: NO SPECIAL REQUIREMENTS. |
| CLOTHING: NO SPECIAL REQUIREMENTS. COVER EXPOSED SKIN. |
| OTHER: EYE WASH AND SAFETY SHOWER |
|ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): LOCAL |
| EXHAUST IN CONFINED SPACES OR WHEN TLV IS EXCEEDED. |

|LEAK AND SPILL PROCEDURE: ALLOW PROPELLANT TO EVAPORATE. ABSORB ONTO |
|SUITABLE ABSORBANT AND SWEEP UP AND PLACE IN DISPOSAL CONTAINER. |
|FLUSH FLOOR TO REMOVE RESIDUAL PRODUCT. |
| |
| |

|WASTE DISPOSAL: DISPOSE OF THROUGH A LICENSED WASTE DISPOSAL |
|FACILITY IN ACCORDANCE WITH FEDERAL, PROVINCIAL AND LOCAL |
|REGULATIONS. DO NOT PUNCTURE OR INCINERATE. |



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 652621

SECTION VIII - FIRST AID MEASURES

| PROCEDURES: |
| EYES-FLUSH WITH RUNNING WATER FOR AT LEAST 15 MINUTES. GET MEDICAL |
| ASSISTANCE. |
| SKIN-FLUSH WITH SOAP AND WATER. CONTACT A PHYSICIAN IF IRRITATION |
| OCCURS. |
| INHALATION-REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT GIVE |
| OXYGEN. GET MEDICAL ASSISTANCE. |
| INGESTION-DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION. |
| |
| |
SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS

ADDITIONAL INFORMATION: NONE

SECTION IX - TDG SHIPPING INFORMATION

| SHIPPING NAME | CLASS | UN NO. | PG |
| D.G. Safety Marks are in accordance with 49 CFR | | | |

| HANDLING PROCEDURES AND EQUIPMENT: AVOID CONTACT WITH EYES AND SKIN. |
| USE ONLY IN WELL-VENTILATED AREAS. |
STORAGE REQUIREMENTS: STORE IN A COOL, DRY, WELL-VENTILATED AREA
AWAY FROM OXIDIZING AGENTS. DO NOT STORE WHERE TEMPERATURES EXCEED
49 (C).

SPECIAL SHIPPING INFORMATION: NON-HEATED

SECTION X - HMIS HAZARD RATING INFORMATION

| FLAMMABILITY | REACTIVITY | HEALTH |
| 1 | 0 | 1 |

SECTION XI - PREPARATION DATE OF MSDS

| PREPARED BY: TECHNICAL DEPARTMENT | TELEPHONE # (905) 456-9444 |
| REVIEWED: OCTOBER 11, 2009 | REPLACES JULY 26, 2003 |

DISCLAIMER:

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILITY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.